

138
UNIVERSITY OF HAWAII LIBRARY



LIBRARY USE ONLY

THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

ISRAEL Journal of BOTANY

Volume 19

1970



מוסד ויצמן לפרסומים במדעי הטבע ובטכנולוגיה, ירושלים
THE WEIZMANN SCIENCE PRESS OF ISRAEL

Publishers of the following journals

ISRAEL JOURNAL OF BOTANY; ISRAEL JOURNAL OF CHEMISTRY;
ISRAEL JOURNAL OF EARTH-SCIENCES; ISRAEL JOURNAL OF MATHEMATICS;
ISRAEL JOURNAL OF MEDICAL SCIENCES; ISRAEL JOURNAL OF TECHNOLOGY;
ISRAEL JOURNAL OF ZOOLOGY

Supporting Institutions

THE NATIONAL COUNCIL FOR RESEARCH AND DEVELOPMENT;
BAR-ILAN UNIVERSITY; TECHNION—ISRAEL INSTITUTE OF TECHNOLOGY;
TEL AVIV UNIVERSITY; THE HEBREW UNIVERSITY OF JERUSALEM;
THE WEIZMANN INSTITUTE OF SCIENCE

GENERAL EDITORIAL BOARD

D. ABIR
A. DVORETZKY
M. EVENARI
L. PICARD
S. SAMBURSKY
M. SELA
G. STEIN
N. TRAININ
S. YIFTAH

Executive Editor

L. LESTER

**ISRAEL JOURNAL
OF BOTANY**

Formerly: Bulletin of the Research
Council of Israel, Section D

Editorial Board

LEONORA REINHOLD *Editor-in-chief*
NAOMI FEINBRUN
J. GALIL
E. GALUN
H. KENDE
N. LANDAU
G. ORSHAN
Y. VAADIA
I. WAHL

Coordinator

M. NEGBI

Subscriptions are to be addressed to the Weizmann Science Press, P.O.B. 801, Jerusalem, Israel. In Europe, orders may be sent to Wm. Dawson & Sons Ltd. Cannon House, Macklin Street, London, W.C.2., or through booksellers. Subscription fees per volume, \$ 10.00.

Copyright © 1970 by THE WEIZMANN SCIENCE PRESS OF ISRAEL

Printed in Israel, 1970

Mercaz Press, Jerusalem

VOLUME 19

TABLE OF CONTENTS

No. 1

Production rate of the periphyton in Lake Tiberias as measured by the glass-slide method	<i>Inka Dor</i>	1
A taxonomic review of European <i>Cuscutae</i>	<i>Naomi Feinbrun</i>	16
Seasonal characteristics of interaction between kinetin and gibberellic acid with regard to level of nitrate reductase activity in tobacco leaves	<i>Nurit Roth-Bejerano and S. H. Lips</i>	30
Floral dimorphism in <i>Anchusa hybrida</i> Ten.	<i>Rivka Dulberger</i>	37
Morphological aspects of leaf growth in <i>Zea mays</i>	<i>T. C. Jain</i>	42
The expected efficiency of water utilization in plants under different competition and selection regimes	<i>D. Cohen</i>	50
BOOK REVIEWS		55

Nos. 2-3

DEDICATED TO PROFESSOR NAOMI FEINBRUN ON THE OCCASION OF HER SEVENTIETH BIRTHDAY

Guest Editor: Chaia C. Heyn

Naomi Feinbrun-Dothan. On the occasion of her seventieth birthday	<i>M. Zohary</i>	iii
Publications of Naomi Feinbrun		v

EVOLUTION

Transference of function as a factor in the evolution of seeds and their accessory structures	<i>G. L. Stebbins</i>	59
Cryptic polymorphism in <i>Primula elatior</i>	<i>D. H. Valentine</i>	71
The evolution and taxonomic significance of a subterranean ovary in certain monocotyledons	<i>B. L. Burt</i>	77
<i>Geranium</i> Sect. <i>Tuberosa</i> , revision and evolutionary interpretation	<i>P. H. Davis</i>	91
Seed dispersal in <i>Trifolium</i> Sect. <i>Calycomorphum</i>	<i>J. Katznelson and D. Zohary</i>	114
Barriers contributing to the isolation of <i>Papaver</i> spp. in Israel	<i>Y. Snitzer-Pasternak and J. Galil</i>	121

TAXONOMY

A biosystematic study of <i>Anthemis</i> section <i>Murata</i> (Compositae)	<i>Ziva Yavin</i>	137
The taxonomic position of <i>Lloydia graeca</i> (Liliaceae) and related species	<i>W. Greuter</i>	155
Revision of the Hawaiian species of <i>Canavalia</i> (Leguminosae). Hawaiian plant studies.	<i>H. St. John</i>	161
The genus <i>Bellevia</i> in Afghanistan. Studies in the flora of Afghanistan	<i>H. Freitag and P. Wendelbo</i>	220
<i>Verticilloporella</i> , a new Mesozoic genus of Dasycladaceae, with discussion on <i>Muneiria</i> and <i>Actinoporella</i>	<i>Varda Raviv and J. Lorch</i>	225
Les Pteridophytes de l'île de Crète	<i>J. Zaffran</i>	236
New chromosome counts in <i>Allium</i> species of Palestine and Mount Hermon	<i>Fania Kollman</i>	245
The nomenclature and taxonomy of <i>Helianthemum lavandulifolium</i> Auctt.	<i>R. D. Meikle</i>	249
<i>Trichostomopsis</i> Card., a moss genus new to Asia	<i>Shirley Agnew and C. C. Townsend</i>	254

A key to the species of <i>Filago</i> L. s.l. (Compositae) in Palestine with notes on the distribution	G. Wagenitz	260
The enigmatic <i>Cyclamen indicum</i> of Linnaeus	W. T. Stearn	266
Studies in <i>Lotus</i> III. The <i>L. angustissimus</i> group	Chaia C. Heyn	271
Nomenclatural remarks on some plants of Palestine. Part I	Irene Gruenberg-Fertig and M. Zohary	293
The genus <i>Reaumuria</i> in the Near East	M. Zohary and A. Danin	305
The <i>Trifolium</i> species of Sect. <i>Vesicaria</i> Crantz	M. Zohary and D. Heller	314
GEOBOTANY		
De Monaco à Gênes. Phytotopographie et phytogéographie	O. de Bolòs	336
Vegetation des hautes montagnes d'Anatolie nord-occidentale	P. Quezel et A. Pamukçuoğlu	348
Some remarks on endemism in Afghanistan	I. C. Hedge and P. Wendelbo	401
PHYSIOLOGY AND ANATOMY		
Drought resistance of cypress and thuya branchlets	H. R. Oppenheimer	418
The influence of pressure, wind, wounding and growth substances on the rate of resin duct formation in <i>Pinus halepensis</i> wood	A. Fahn and E. Zamski	429
The effect of kinetin and of the embryo axis on the level of reducing sugars in sunflower cotyledons	Tamar Gilad, I. Ilan and Leonora Reinhold	447
The effect of water stress on the polysome population and the ability to incorporate amino acids in maize root tips	I. Nir, Alexandra Poljakoff-Mayber and S. Klein	451
The heteroblasty of <i>Aegilops ovata</i> L.	S. C. Datta, M. Evenari and Y. Gutterman	463
A control of bud growth by vascular tissue differentiation	T. Sachs	484
Analysis of the dual action of white light on germination of <i>Atriplex dimorphostegia</i> (Chenopodiaceae)	D. Koller	499
No. 4		
ECOLOGY AND GEOBOTANY		
Competition between <i>Oryzopsis holciformis</i> (M.B.) Hack and annual plants. II. Performance of <i>O. holciformis</i> and two annuals when grown in mixtures of differing ratios	M. Litav and N. Seligman	517
Multivariate analysis of desert vegetation. I. Association analysis at various quadrat sizes	I. Noy-Meir, N. H. Tadmor and G. Orshan	561
ANATOMY		
The secretory cells of <i>Pinus halepensis</i> Mill	Ella Werker	542
Environmental effects on wood production and cambial activity in <i>Zizyphus spina-Christi</i> (L.) Willd.	Nili Liphshitz and Y. Waisel	592
PHYSIOLOGY AND PHYTOCHEMISTRY		
Labeling pattern of RNA of sterile plant tissue	Y. Nudel and E. S. Bamberger	529
The effect of water potential on the CO ₂ compensation point of maize and sunflower leaf tissue	Z. Glinka and M. Y. Katchansky	533
The effects of amitrole on flower induction and on vegetative development in <i>Pharbitis nil</i>	Avishag Kadman-Zahavi	558
Isolation and properties of an exopolysaccharuronase produced by <i>Penicillium digitatum</i> during infection of lemon fruits	I. Barash and Esther Angel	599
The effect of sodium fluoride on the growth and metabolism of tissue cultures of <i>Acacia georginae</i> and tomato	P. Preuss, Rina Birkhahn and E. D. Bergmann	609
MYCOLOGY AND PHYTOPATHOLOGY		
Relationships between fungi of the <i>Aspergillus glaucus</i> group and <i>A. niger</i> in groundnut kernels	N. Lisker and A. Z. Joffe	620
Rate of advance of <i>Diplodia</i> mycelium in avocado pedicel	Mina Schiffmann-Nadel, Yehudith Cohen and Tova Arzee	624
BOOK REVIEWS		627

AUTHOR INDEX

- Agnew, S., 254
 Angel, E., 599
 Arzee, T., 624
 Avron, M., 627
- Bamberger, E. S., 529
 Barash, I., 599
 Bergmann, E. D., 609
 Birkhahn, R., 609
 Bolòs, O. de, 336
 Burt, B. L., 77
- Cohen, D., 50, 57
 Cohen, Y., 624
- Danin, A., 305
 Datta, S. C., 463
 Davis, P. H., 91
 Dor, I., 1
 Dulberger, R., 37
- Evenari, M., 463
- Fahn, A., 429
 Feinbrun, N., 16
 Freitag, H., 220
- Galil, J., 121
 Gilad, T., 447
 Glinka, Z., 533
 Greuter, W., 155
 Gruenberg-Fertig, I., 293
 Gutterman, Y., 463
- Hedge, I. C., 401
 Heller, D., 314
 Heyn, C. C., 56, 271
- Ilan, I., 447
- Jain, T. C., 42
 Joffe, A. Z., 620
- Kadman-Zahavi, A., 558
 Katchansky, M. Y., 533
 Katznelson, J., 114
 Kenneth, R., 634
 Klein, S., 451
- Koller, D., 499
 Kollman, F., 245
- Leshem, B., 633
 Lips, S. H. 30
 Lipschitz, N., 592
 Litav, M., 517
 Lisker, N., 620
 Loebenstein, G., 635
 Lorch, J., 225, 629, 633
- Meikle, R. D., 249
- Nir, I., 451
 Noy-Meir, I., 561
 Nudel, U., 529
- Oppenheimer, H. R., 418
 Orshan, G., 561
- Pamukçuoğlu, A., 348
 Poljakoff-Mayber, A., 451
 Preuss, P., 609
- Quezel, P. 348
- Raviv, V., 225
 Reinhold, L., 447
 Roth-Bejerano, N., 30
- Sachs, T., 484, 630
 Schiffman-Nadel, M., 624
 Seligman, N., 517, 631
 Snitzer-Pasternak, Y., 121
 St. John, H., 161
 Stearn, W. T., 266
 Stebbins, G. L., 59
- Tadmor, N. H., 561
 Townsend, C. C., 254
- Valentine, D. H., 71
- Wagenitz, G., 260
 Waisel, Y., 592
 Wendelbo, P., 220, 401
 Werker, E., 542

Yavin, Z., 137

Zaffran, J., 236

Zamski, E., 429

Zohary, D., 114

Zohary, M., (2-3) iii, 293, 305, 314

TAXONOMIC INDEX

A

*Abies**bornmuelleriana*, 356, 375*equi-trojani*, 350, 379*Acacia georginae* F. M. Bailey, tissue culture, growth and metabolism, sodium fluoride effects, 609 et seq.*Acaena*, 66*Acantholimon*, 362, 411 et seq.*acerosum*, 365*echinus*, 365, 367, 368, 371, 372, 381, 383*Acanthophyllum*, 416*Acer*, 61*Achillea multifida*, 353, 355*Achnantes minutissima* Kutz., 4 et seq.*Actinoporella* Alth., systematics, literature review, 225 et seq.*Adiantum capillus-veneris* L., 238*Aegilops ovata* L., dispersal units, germination, 463 et seq.*Aethionema*, 405*oppositifolium*, 358, 359, 361*Agrimonia*, 61*Agropyron*, 631*Agrostideae*, 62*Agrostis**alba* var. *scabriculum*, 389, 390, 395*vulgaris* var. *aristata*, 389, 390, 395*Aitchisonia* Hemsl., 403*Alchemilla*, 66*acutiloba*, 397, 398*hoppeana*, 353, 355*Alhagi maurorum* Medik., 294 et seq.*Allium*, 371, 381, 416

chromosome counts in, 245 et seq.

asclepiadeum Bornm., 245 et seq.*davisianum* Feinbr., 245 et seq.*feinbergii* Opphr., 245 et seq.*hierochuntinum* Boiss., 245 et seq.*libani* Boiss., 245 et seq.*orientale* Boiss., 245 et seq.*papillare* Boiss., 245 et seq.*rothii* Boiss., 245 et seq.*sannineum* Gomb., 245 et seq.*caroli-henrici* Wendelbo, 407 et seq.*cucullatum* Wendelbo, 407 et seq.*hedgii* Wendelbo, 407 et seq.*longicollum* Wendelbo, 407 et seq.*mirum* Wendelbo, 407 et seq.*miserabile* Wendelbo, 407 et seq.*viride* Grossh., 245 et seq.*Alopecurus**gerardi*, 387-390, 393-395, 399*lanatus*, 358, 359*vaginatus* var. *unipalaceus*, 353, 356*Alyssum*, 405*erosulum*, 359, 366, 368*maritimum*, 346*Amaryllidaceae*, 77 et seq.*Ambrosia*, 62*Anabasis articulata* (Forssk.) Moq., 567*Anchusa hybrida* Ten., floral dimorphism, 37 et seq.*Androcymbium melanthioides*, 83*Andropogon*, 68*Androsace*, 412*dasyphylla*, 358, 359*Anemone*, 59 et seq.*Anogramma leptophylla* (L.) Link., 238*Anoiganthus* Baker, 86*breviflorus*, 86*gracilis*, 86*luteus*, 86*Anthemis* sect. *Muruta* (Cass.) Boiss., biosystematics, 137 et seq.*adonidifolia* Ky. et Boiss., 138 et seq.*carpathica*, 353-355.*corymbulosa* Boiss. et Hausskn., 138 et seq.

- cotula* L., 138 et seq.
deserticola Krasch. et M. Pop., 138 et seq.
fungosa Boiss. et Hausskn., 138 et seq.
galilaea Eig, 138 et seq.
 var. *galilaea*, 141
 var. *brachyota*, 141
 var. *hierosolymitana*, 142
lithuanica (DC.) Trautv., 138 et seq.
microcephala (Schrenk) B. Fedtsch., 138 et seq.
parvifolia Eig, 138 et seq.
patentissima Eig, 138 et seq.
 var. *patentissima*, 148
 var. *sublevia*, 148
pseudocotula Boiss., 138 et seq.
 ssp. *pseudocotula*
 var. *massadensis*, 146
 var. *pseudocotula*, 146
 var. *radiata*, 146
 ssp. *rotata*
 var. *rotata*, 147
 var. *rotundata*, 147
pungens Yavin, sp. nov., 138 et seq.
tripolitana Boiss. et Bl., 138 et seq.
Anthoxanthum odoratum, 389, 392
Anthyllis vulneraria ssp. *pulchella*, 359, 367
Apeltanthus Nevski ex Pavl., 414
Aphanothece nidulans Richter, 4
Apodolirion Baker, 77 et seq.
 macowanii, 87
Arabis
 caucasica, 353, 355, 389, 394
 arabiformis, 353, 354, 355
Arachis hypogea L., 620 et seq.
Archeopteris, 64
Arctium, 62
Aristida, 632
Armeria, 379
 trojana, 370
Arnebia, 404
Artemisia herba-alba, 568 et seq.
Arthropphyton
 gracile Aellen, 413
 griffithii (Moq.) Boiss., 413
 lindbergii Aellen, 413
Arunceus, 66
Arundineae, 62
Asparagus stipularis Forssk., 567
Aspergillus
 amstelodami (Mangin) Thom & Church, 621
 chevalieri (Mangin) Thom & Church, 621
 glaucus group, in groundnut kernels, 620 et seq.
 niger, in groundnut kernels, 620 et seq.
 repens De Bary, 621 et seq.
 ruber (Konig, Spieckerman & Bremer) Thom & Church, 621
Asperula
 nitida, 359, 366, 368, 369, 372, 373, 394
 sintenesii, 358, 370, 372, 373, 378, 379
Aspidium aculeatum, 354
Asplenium
 adiantum-nigrum L., 239 et seq.
 creticum Zaffran, 242
 daghestanicum Christ. du Daghestan, 242
 fissum Kit. ex Willd., 239, 240 et seq.
 fontanum (L.) Bernh., 242
 haussknechtii Godet & Reuter, 241
 javorkae Kummerle, 242
 lepidum Pressl., 240
 onopteris L., 240
 quezeli Tard., 242
 ruta-muraria L., 241
 septentrionale, 352
 trichomanes
 ssp. *trichomanes* L., 239
 ssp. *quadrivalens* D. E. Meyre, 239
 viride Hudson, 241, 353
Astragalus, 362, 409 et seq.
 amalecitanus Boiss., 567, 577
 angustifolius, 365, 367, 368, 371-374, 378, 383, 384
 flavescens, 380, 382, 383, 385
 hirsutus, 366, 368
 idaea, 370, 378, 379
 negevensis Zoh. et Fertig (nom. nov.), 293
 ptilodes, 365, 373
 sibthorpianus, 366, 368
 sparsus Del. ex Decne., 294
 trojanus, 365, 379
Athyrium filix-femina (L.) Roth, 243
Atractylis, 588
 flava Desf., 567
 phaeolepis Poir., 567, 577
Aubrietia
 deltoidea, 352, 365
 olympica, 353
Atriplex, 62
 dimorphostegia Kar. et Kir., germination, light, temperature, water-stress, 499 et seq.

- Avena*, 68
pubescens 366, 370, 374
sterilis, competition with *Oryzopsis holci-*
formis, 517 et seq.
Aveneae, 62

B

- Bacillaria paradoxa* (Gmel.) Grun, 4
Bambuseae, 62
Bangia artropurpurea, 5
Barbula
biestrata Rungby, see *Trichostomopsis aaronis*
haussknechtii Jur. & Milde, see *Trichosto-*
mopsis aaronis
Bellevia
atroviolacea Regel, 220 et seq.
feinbrunae Freitag & Wendelbo sp. nov., 220
et seq.
saviczii Woron, 220 et seq.
Berberidaceae, 64
Bifora testiculata (L.) Spreng. ex Schult., 302
Biropteris antri-jovis Kummerle, 243
Blechnum spicant (L.) Roth., 244
Blysmus compressus 389, 397, 398, 400
Boraginaceae, 59 et seq.
endemism in Afghanistan, 404
Bothriochloa, 631
Botrychium lunaria (L.) Swartz., 237
Brachypodium pinature, 343 et seq.
Bromus
fibrosus, 354, 365, 367, 368, 371, 372, 374
sclerophyllus, 380, 382
Bruckenthalia
spiculiflora, 363, 366, 374, 388, 391, 392,
395, 397
Bulbocodium, 77–79, 83
Bupleurum olympicum, 359, 366, 368

C

- Calamintha*
alpina, 366, 370, 374
suaveolens, 381
Caltha, 66
Calymmatium, 405
Calypotrosciadium Rech. f. & Kuber, 403
Campanulaceae,
endemism in Central Asia, 414
Campanula
cymbalaria, 352, et seq.

- olympica*, 353, 367, 376
teucroides, 380, 382, 386, 387
Canavalia
cathartica Thouars, 161 et seq.
centralis St. John, sp. nov. 161 et seq.
Forbesii St. John, sp. nov., 161 et seq.
galeata (Gaud.) Vogel, 161 et seq.
haleakalaensis St. John, 161 et seq.
hawaiiensis Deg. Deg. & Sauer, 161 et seq.
iaoensis St. John, sp. nov., 161 et seq.
kauaiensis Sauer, 161 et seq.
lanaiensis Deg. & Deg., 161 et seq.
makahaensis St. John, sp. nov., 161 et seq.
molokaiensis Deg. Deg. & Sauer, 161 et seq.
Munroi (Deg. & Deg.) St. John, comb. nov.,
161 et seq.
napaliensis St. John, sp. nov., 161 et seq.
nualoloensis St. John, sp. nov., 161 et seq.
peninsularis St. John, sp. nov., 161 et seq.
pubescens H. & A., 161 et seq.
Rockii St. John, sp. nov., 161 et seq.
sanguinea St. John, sp. nov., 161 et seq.
stenophylla St. John, sp. nov., 161 et seq.
Capnophyllum peregrinum (L.) Lag., 293, 302–
303
Caprifoliaceae, 64
Carex, 62, 63, 68, 371, 585, 588
atrata, 397, 398
laevis, 353, 356–368
leporina, 389, 392, 394, 395
pachystylis J. Gay, 566, 567, 577
pallescens, 389
Carrichtera annua (L.) DC., 567, 577
Caryophyllaceae, 66
endemism in Afghanistan, 403
Castanea sativa, 345
Catananche caespitosa, 367
Caytoniales, 64
Cenchrus, 68
Centaurea
aegyptiaca L., 567, 577
nana, 367
paniculata ssp. *paniculata*, 347
parolinii, 370, 372, 379
trojana, 370, 378
Cephalorrhizum coelicolor (Rech. f.) Rech. f.,
409
Cerastium
banaticum, 371, 374
cerastioides, 388, 394

- Ceterach officinarum* DC., 242
Chaetolimon sogdianum Lincz., 414
Chalcanthus renifolius (Boiss. & Hohen.) Boiss., 416
Chamaemelum oreades, 388, 394
Chamaesphacos, 408
Cheilanthes
 catanensis (Cosent.) H. P. Fuchs, 238
 fragrans (L. fil) Swartz, 237
 persica (Bory) Mett. ex Kuhn, 238
 Chenopodiaceae, 62
 endemism in Afghanistan, 403, 413
Chenopodium, 62
 Chlorideae, 62
 Chlorophyceae, 1 et seq.
Chorizanthe, 67
Chroococcus minutus (Kutz) Nag., 4
Cirsium palustre Scop., 71
 Cistaceae, nomenclatural remarks, 300 et seq.
Citharolema registanicum Rech. f., 405
Citrus limon (L.) Burm., 599 et seq.
Cladophora glomerata, 5
Clematis, 61, 66
Cocconeis placentula Ehr., 4, 9, 12
Colchicum L., 77 et seq.
 ancyrense, 83
 autumnale, 82
 boissieri, 78
 byzantinum, 81
 decaisnei, 81
 guessfeldtianum, 84
 psaridis, 78
 ritchii, 82, 84
 schimperi, 84
 szovitsii, 83
 turiae, 84
 variegatum, 81
Coleus blumei, bud growth control, 484 et seq.
Colpodium humile, 388, 394
 Commelinales, 62
 Compositae, 59 et seq.
 endemism in Afghanistan, 403 et seq.
 Conjugatophyceae, 4
Coronilla rostrata Boiss. et Sprun, 294
 Corystospermaceae, 64
Cosmarium laeve Rabenh., 4 et seq.
Cotinus coggygria, 347
Cotoneaster vulgaris var. *peduncularis*, 353
Cousinia, 404, 416
 heteroloba Rech. f., 409
Crematosciadium Rech. f., 403
Crepis alpina, 367
Crinum L., 77 et seq.
 acaule, 81, 82
Crocopsis Pax, 77 et seq.
Crocus L., 77 et seq.
 aerius, 389
 carpetanus, 85
 kotschyanus, 81
 Cruciferae, 64
 endemism in Afghanistan, 403 et seq.
Cryptocapnos Rech. f., 403
Cupressus
 glabra Sudw., drought resistance, 418 et seq.
 sempervirens L. var. *horizontalis* (Mill.) Gordon, drought resistance, 418 et seq.
Cuscuta
 approximata Babington, 18, 27 et seq.
 ssp. *approximata*, 27
 ssp. *episonchum* (Webb. et Berth.) Feinbr., stat. nov. 28
 ssp. *macranthera* (Boiss.) Feinbr. et Grun-ter., stat. nov., 27 et seq.
 atrans Feinbr. sp. nov., 16, 18, 22 et seq.
 australis R. Br., 18 et seq.
 var. *tinei* (Insegua) Feinbr., stat. nov., 19 et seq.
 var. *cesatiana* (Bertol.) Feinbr., stat. nov., 19 et seq.
 brevistyla, A. Braun, 19, 27
 campestris Yuncker, 18, 20
 epilinum Weihe, 18, 22
 epithymum (L.) L., 16 et seq.
 ssp. *epithymum*, 16, 18, 24 et seq.
 var. *epithymum*, 16, 24 et seq.
 var. *angustissima* Engelm., 24 et seq.
 var. *alba* (Presl) Trabut, 16, 24 et seq.
 ssp. *kotschyi* (Desmoulins) Arcangeli, 16, 19, 25 et seq.
 europaea L., 18, 21
 gronovii Willd. var. *calyptрата* Engelm., 18, 21
 lupuliformis Krocke, 17, 28
 monogyna Vahl, 17, 28
 palaestina Boiss., 18, 22
 pedicellata Ledeb., 18, 21
 pellucida Butkov, 18, 22
 planiflora Ten., 18, 27
 stenoloba Bornm. & O. Schwartz, 18, 24
 suaveolens Seringe, 18, 20 et seq.
 triumvirati Lange, 18, 24

Cyanophyceae, 1 et seq.

Cyclamen

indicum L., 266 et seq.

persicum Miller, 266 et seq.

Cyclotella kutzingiana Chauvin, 4

Cymbella

affinis Kutz., 4, 12

lanceolata Ehrb., 4

Cynoglossum montanum var. *anatolicum*, 371

Cyperaceae, 62, 68

Cyphocardamum Hedge, 403, 405

Cystopteris fragilis (L.) Bernh., 243, 357

Cytisopsis pseudocytisus (Boiss.) Fertig (comb. nov., 293, 294

Cytisus

smyrnaeus var. *prostratus*, 370, 373, 378

tmoleus, 365, 381

D

Dactylis glomerata, 371

Danthonia, 62

Daphne oleoides, 365, 367, 368, 371, 374

Dasycladaceae, *Verticilloporella*, new Mesozoic genus, 225 et seq.

Daucus bicolor Sm., 293, 303 et seq.

Deschampsia

caespitosa, 397, 398

flexuosa, 367, 371

Desmatodon, 254 et seq.

convolutus (Hedw.) Grout, 258

Dianthus

anatolicus, 352, 380, 384

balbisii, 347

erinaceus, 365, 373, 378

var. *alpinus*, 358, 371, 372

leucophaeus, 359, 366, 368

Diatomeae, 1 et seq.

Dichothrix gypsophila, 5

Dichanthium, 631

Digitalis ferruginea, 367, 381

Dionysia, endemism in Afghanistan, 412 et seq.

balsamea, Wendelbo & Rech. f., 412 et seq.

bornmuelleri (Pax) Clay, 412–413

hedgei Wendelbo, 416

hissarica Lipsky, 412–413

microphylla Wendelbo, 416

mira Wendelbo, 412–413

paradoxa Wendelbo, 412, 416

teucrioides Davis & Wendelbo, 412–413

Diplodia natalensis Pole-Evans, mycelium growth in avocado pedicel, 624 et seq.

Diplotaxis harra (Forssk.) Boiss., 567 et seq.

Dipsacaceae, 59 et seq.

Draba

brunifolia, 358, 359, 367

ssp. *olympica*, 357, 372

olympica, 370

Dryopteris

felix-mas (L.) Schott., 244

villarii ssp. *pallida* (Bory) Heywood, 244

E

Elymus, 631

Equisetum

arvense L., 237

hiemale L., 237

palustre L., 237

ramosissimum Desf., 237

sylvaticum L., 237

telmateia Ehrh., 237

Eragrostaceae, 62

Eragrostis, 632

Eremochion Gilli., 403

Eremostachys, 401, 406 et seq.

acaulis, Rech. f., 408

badakshanica Hedge, 408

bamianica Rech. f., 408

calophyta Hedge, 408

podlechii Hedge, 408

sanglechensis Rech. f., 408

speciosa Rupr., 408, 416

vulnerans Rech. f. & Koeie, 408

Eremurus, 401, 409 et seq.

Ericaceae

endemism in Afghanistan, 405 et seq.

Erigeron olympicus, 353, 359, 389, 394

Eriogonum, 67

Erodium

deserti (Eig) Eig, 297

hirtum Willd., 297

sibthorpiatum ssp. *sibthorpiatum*, 353, 355

telavivense Eig ex Eig, 297

Erysimum, 405

pulchellum, 381

Euphorbia

anacampseros, 380, 382, 384, 386

dendroides, 341, 347

forskalii J. Gay, 298

herniariifolia, 352, 359, 367, 371, 379

hierosolymitana Boiss. ex Boiss., 299 et seq.
retusa Forssk., 299
spinosa, 340, 341, 347

Euphorbiaceae, nomenclatural remarks, 298 et seq.

Euphrasia

drosocalyx, 366, 376
minima, 389, 392, 395
pectinata, 359, 367, 389

Eurystoma, 64

Evax, 61 et seq., see also *Filago*

F

Fagus orientalis, 349, 379

Ferula, 416

Festuca, 631

indigesta, 368
laevis, 365, 371, 381
ovina, 352, 367, 371, 381
punctoria, 353, 359, 366, 368, 369, 372, 373, 393, 394
rubra, 389, 392, 394, 395
varia, 367

Festuceae, 62

Filagineae, 61

Filago L., from Palestine, key and distribution notes, 260 et seq.

Filago

argentea (Pomel) Chrtek et Holub, 260 et seq.
arvensis L., 260 et seq.
contracta (Boiss.) Chrtek et Holub, 260 et seq.
desertorum Pomel, 260 et seq.
eriocephala Guss., 260 et seq.
gallica L., 260 et seq.
inexpectata Wagenitz, 260 et seq.
palaestina (Boiss.) Chrtek et Holub, 260 et seq.
pyramidata L., 260 et seq.

Fraxinus ornus, 347

Fumana thymifolia (L.) Sp., 300–301

Fumariaceae, endemism in Afghanistan, 403

G

Gagea, taxonomic revision, 155 et seq.

graeca (L.) A. Terracc. comb. nov., 155 et seq.
kunawurensis (Royle) Greuter, comb. nov., 155

libanotica (Hochst.) Greuter, comb. nov., 155 et seq.

liotardi, 389, 392

rubro-viridis Boiss. et Kotschy, see *G. libanotica*

trinervia (Viv.) Greuter, 155 et seq.

Galium

confertum, 366
coronatum, 365, 367
olympicum, 359, 366, 368
orientale, 371, 379
var. tenerum, 352
pyrenaicum, 368
tmoleum, 380, 383
verum, 381

Genista, 363

lydia, 366, 371, 375, 376, 377

Genomosperma, 63 et seq.

Gentiana verna, 388, 394

Geraniaceae, nomenclatural remarks, 297

Geranium

Sect. *Tuberosa* Boiss., revision and evolutionary interpretation, 91 et seq.
atlanticum Boiss. & Reut., 92
kotschyi Boiss., 91 et seq.
ssp. kotschyi, 91 et seq.
ssp. charlesii (Aitch. & Hemsley) Davis, comb. et stat. nov., 91 et seq.
libanoticum Schenk, 91 et seq.
linearilobum DC., 91 et seq.
ssp. linearilobum, 91 et seq.
ssp. transversale (Kar. & Kir.) Davis, comb. et stat. nov., 91 et seq.
macrostylum Boiss., 91 et seq.
malviflorum Boiss. & Reuter, 91 et seq.
sylvaticum, 92
tuberosum L., 91 et seq.
ssp. tuberosum, 91 et seq.
ssp. linearifolium (Boiss.) Davis, 91 et seq.

Gethyllis L., 77 et seq.

Geum, 61

rivale, 388, 391

Gloecapsa sp., 5

Gnaphalium supinum, 388, 392, 394

Golenkinia radiata (Chod.) Wille, 4

Gomphonema

parvulum Kutz. 4, 9, 12
intricatum Kutz. 4, 9, 12

Gramineae, 62 et seq.

sclerophyllic, high mountains, 362

Gymnocarpium dryopteris (L.) Newman, 244
Gymnocarpus, 583, 585, 587
 decandrum Forssk., 567, 571, 577
Gynophorea Gilli, 403, 405
Gypsophila olympica, 359, 361
Gyrosigma acuminatum (Kutz.) Grun., 4

H

Halarchon Bge., 403
Hammada, 585, 588
 scoparia (Pomel) Iljin, 567 et seq.
Haylockia Herbert, 77 et seq.
Helianthemum
 canum, 371
 kahiricum Del., 567 et seq.
 lavandifolium (Lam.) Desf., see *H. syriacum*
 lasiocarpum, Desf. ex. Jacques et Herincq,
 nomenclatural remarks, 300
 nummularium, 359, 367
 ssp. *nummularium*, 361
 syriacum (Jacq.) Dum.-Cours., nomenclature,
 249 et seq.
 ssp. *syriacum*, 249 et seq.
 ssp. *thibaudii* (Pers.) Meikle, comb. et
 stat. nov., 249 et seq.
 ventosum Boiss., 567 et seq.
 vesicarium Boiss., 567 et seq.
Helianthus annuus L., 447 et seq., 484 et seq.,
 533 et seq.
Helichrysum plicatum, 367, 369, 381, 387
Herniaria
 glabra, 381, 389
 hemistemon J. Gay, 567
 olympica, 388, 394
Heliotropium, 404
Hemizonia, 61
Heteropogon, 68, 631, 632
Hieracium sp., 381
 pannosum, 352
 pilosella, 366, 370, 374, 383, 389
Hordeae, 62
Hyparrhenia hirta, 346
Hypericum, 363, 375, 376
 adenotrichum, 366, 376
 aucheri, 370, 374
 bithynicum, 366, 376
 confertum, 366, 376
 linarioides, 366, 375, 376, 377
Hypogomphia, 408

I

Iberis
 pruitii, 359, 361
 saxatilis, 357
Illecebraceae
 endemism in Afghanistan, 403
Iridaceae, 77 et seq.
Iris, 416
Isatis, 405
Isoetes histrix Bory, 237

J

Jasione
 idaea, 370, 378
 supina, 366, 374, 380, 384, 385, 387
Juncaceae, 68
Juncus
 articulatus, 397, 398
 alpigenus, 397, 398
Juniperus nana, 363, 364, 367, 368, 370, 373–
 375, 380, 382–385, 391, 397
Jurinea cadmea, 380, 387

K

Kabulia Bor & Fischer, 403
Kerstanina Rech. f., 403
Klingia Schonland, 87
Kobresia, 68
Koeiea Rech. f., 403, 405 et seq.
Koeleria, 631
 splendens, 358, 365, 367, 368, 371, 374, 381,
 387
Kudrjaschevia korschinskyi (Lipsky) Pojark.,
 414

L

Labiatae, 59 et seq.
 endemism in Afghanistan, 407 et seq.
Lactuca
 intricata, 365, 381, 384
 sativa, germination in natural inhibitors, 477
 et seq.
Lagerheimia longiseta (Lemm.) Prinz, 4
Lagochilus, 408
Lamium veronicaefolium, 353, 354
Lasiurus, 631
Lauraceae, 61
Leguminosae, 61 et seq.
 endemism in Afghanistan, 403, 409

- Leontodon asperimus*, 365, 367, 368, 371, 374
Lens orientalis (Boiss.) Schmalh., 297
 Liliaceae, 62, 77 et seq.
Limonium coelicolor, see *Cephalorrhizum coelicolor* (Rech f.). Rech f.
Linum
 aretioides, 380, 387
 boissieri, 370, 378, 387
 olympicum, 354, 366, 368
Lloydia
 graeca (L.) Kunth, see *Gagea graeca*
 serotina (L.) Reichenb., 155 et seq.
 trinervia (Viv.) Cosson, see *Gagea trinervia*
Lonicera
 griffithii Hook. f. & Thoms., 416
 japonica, bud growth control, 484 et seq.
Lotus
 angustissimus group, taxonomic and nomenclatural problems, 271 et seq.
 corniculatus, 371, 389
 var. *stenodon*, 390, 395
 macrotrichus Boiss., 271 et seq.
 palustris Willd., 271 et seq.
 parviflorus Desf., 271 et seq.
 suaveolens Pers., 271 et seq.
 subbiflorus Lag., 271 et seq.
Luzula
 bulgarica, 366, 370, 374, 389, 392
 spicata, 392
 var. *pindica*, 392, 395, 396

M

- Madia*, 61
Magnolia, 60
Malva aegyptiaca L., 567, 577, 588
Marrubium, 61
 rotundifolium, 380, 383
Mastigosciadium Rech. f. & Kuber, 403
Matthiola, 405
 chorassanica Boiss., 405
Mattiastrum, 404
Medicago polymorpha,
 competition with *Oryzopsis holciformis*, 517 et seq.
Melica ciliata, 371, 381
Melilotus sciculus (Turra) B. D. Jacks., 295–296
Melosira granulata Moore, 4
Merendera, 77 et seq.
 raddeana, 83
 schrimperiana, 84

- filifolia*, 84
 sobolifera, 78
 trigyna, 83
Merismopedia convoluta Brebisson, 4
Minuartia
 anatolica, 381
 var. *anatolica*, 351 et seq.
 erythrosepala, 353, 359, 367, 371, 376, 379, 381
 garkaeana, 370
 hirsuta ssp. *falcata*, 366, 374
 juniperina, 365
 ssp. *asiatica*, 370, 378, 379, 387
 ssp. *juressi*, 380, 386, 387
 recurva ssp. *oreina*, 380, 387
 saxifraga ssp. *tmolea*, 351 et seq.
Microcystis
 flos-aquae (Wittr.) Kirchner, 4
 pulverea (Wood) Forti, 4
Micropus, 61
Mirabilis, 62
Molucella ostostegioides Prain, 407
Monardella, 62
 Monocotyledons, subterranean ovary, evolution and taxonomic significance, 77 et seq.
Morinia persica, 371, 372
Mougeotia ventricosa (Wittr.) Collins, 4
Munieria Deecke, systematic literature review, 225 et seq.
Myosotis olympica, 353, 356, 359, 367

N

- Nardus stricta*, 367, 374, 386, 389, 390, 391, 392, 394, 395, 396, 397
Nasturtiicarpa Gilli, 403–405
Nepeta, 362, 407 et seq.
 juncea Benth., 408
 pinetorum Aitch. & Hemsl., 408
 tmolea, 380, 383
Nerium oleander, 340
Nicotiana
 rustica, 30 et seq.
 tabacum, 529 et seq.
Noaea mucronata (Forssk.) Aschers. et Schweinf., 567 et seq.
 Nyctagineaceae, 62 et seq.

O

- Ochotonophila* Gilli, 403

Olymposciadium caespitosum, 359, 361

Onobrychis balansae, 366, 370, 372

Oocystis

novae-semillae Wille, 4

solitaria Wittrock, 4

Ophioglossum lusitanicum L., 237

Ornithogalum oligophyllum, 388, 394

Oryzopsis

holciformis (M.B.) Hack., competition with
annuals, 517 et seq.

miliacea, 346

Oscillatoria splendida Greville, 4

Osmunda regalis L., 237

Ostrowskia magnifica Regel, 414, 416

Ostrya carpinifolia, 347

Otostegia, 407

P

Panicoideae, 62

Papaver spp.,

isolation barriers in Israel, 121 et seq.

carmeli Feinbr., 121 et seq.

humile ssp. *sharonense* Feinbr., 121 et seq.

spicatum, 380, 383

subpiriforme Fedde, 121 et seq.

syriacum, 121 et seq.

Papilionaceae, nomenclatural remarks, 293 et
seq.

Parkia, 65

Parnassia palustris, 389, 397, 398

Paronychia

anatolica ssp. *balansae*, 380, 384

chionea, 365, 381

polygonifolia, 380, 387

sintenesii, 370, 378

Pediastrum

duplex Meyen, 4

sturmii Reinsh, 4

Pedicularis

comosa, 354

var. *sibthorpii*, 359, 361

olympica, 391, 397, 398, 400

orthantha, 397

Penicillium digitatum Saccardo, exopolygalac-
turonase, lemon fruit infection, 599 et seq.

Pentacaena, 67

Pentastemonodiscus Rech. f., 403

Peplis alternifolia, 388, 395

Peridinium westii Lemm., 4

Perovskia, 408

atriplicifolia Benth., 408

Persea americana Mill. var. *Fuerte*, 624 et seq.

Pertya aitchisonii C. B. Clarke, 416

Petrorhagia, 388, 395

saxiphraga, 347

Peucedanum spreitzenhoferi Dingl., 303

Phaeoppapus drabifolius, 353, 354, 355

Phagnalon rupestre (L.) DC., 567, 577

Phalarideae, 62

Pharbitis nil,

flower induction and vegetative development,
amitrole effects, 558 et seq.

Phaseolus vulgaris, bud growth control, 484 et
seq.

Phleum alpinum var. *commutatum*, 389, 392, 395

Phyllitis

sagittata (DC.) Guinea & Heywood, 242

scolopendrium (L.) Newman, 242

Physocarpus, 66

Phytophthora infestans, 633

Pinacantha Gilli, 403

Pinguicula vulgaris, 389, 397, 398

Pinus

brutia, 350

halepensis Mill. resin duct formation, 429 et
seq.

secretory cells, 542 et seq.

nigra ssp. *pallasiana*, 350

Pisum sativum, bud growth control, 484 et seq.

Plantago

carinata, 366, 370, 374, 380, 383, 387, 389,
390, 392, 395

gentianoides, 391, 397, 398, 400

lanceolata var. *capitata*, 389, 390

media, 388, 391

saxatilis, 388, 393, 394

Plumbaginaceae

endemism in Afghanistan, 412

Poa, 631

alpina, 358, 359, 367, 371, 376, 379, 381, 389,
392, 395

cenisia, 366

pratensis, 367

sinaica Steud., 567 et seq.

violacea, 389, 392, 394

Podanthum

limonifolium, 371, 372

var. *alpinum*, 370, 379

sibthorpiatum, 353

ssp. *sibthorpiatum*, 367, 370, 372

ssp. *tmoleum*, 380, 382

Polygonaceae, 66 et seq.

Polygonum, 67

alpinum, 380, 382

bistorta, 388, 391

setosum, 380, 382

Polypodium australe Fée, 244

Polysticum lonchitis (L.) Roth., 243

Portulacaceae, 66

Potentilla chrysocraspeda var. *minor*, 389, 392

Poterieae, 64 et seq.

Poterium spinosum, 66

Primula, 412

afghanica Wendelbo, 416

amoena M. Bieb., 73 et seq.

boveana Duby, 413

davisii W. W. Sm., 413

edelbergii Schwarz, 413

elator Schreb., cryptic polymorphism, 71 et seq.

ssp. *elator*, 72

floribunda Wall., 413

gaubaeana Bornm., 413

juliae Kusm., 72 et seq.

megaseaefolia Boiss., 72 et seq.

veris L., 71 et seq.

verticillata Forssk., 413

vulgaris Huds., 71 et seq.

ssp. *heterochroma* (Stapf.) Smith & Forrest, 72

ssp. *sibthorpii* (Hoffm.) Smith & Forrest, 72

Primulaceae

endemism in Afghanistan, 412 et seq.

Prionotrichon, 405

Prunus, 64

prostata, 365, 371, 372

Psilocarphus, 61, 64

Pteridium aquilinum (L.) Kuhn, 238

Pteris

cretica L., 238

vittata L., 238

Pyramidium Boiss., 403, 405

griffithianum Boiss., 405

Pyramidoptera Boiss., 403

Q

Quercus

coccifera ssp. *coccifera*, 347

ilex, 339 et seq.

suber, 342

R

Ranunculus, 59 et seq.

dissectus var. *sibthorpii*, 389

heterorhizus, 388, 394

sartorianus, 354, 389, 390, 394, 395

Reaumuria

in the Near East, 305 et seq.

alternifolia (Labill.) Britten, 305 et seq.

hirtella Jaub. et Spach, 305 et seq.

var. *brachylepis* Zoh. et Danin, var. nov., 309

var. *hirtella*, 305

var. *palaestina* (Boiss.) Zoh. et Danin, stat. nov., 309 et seq.

negevensis Zoh. et Danin, sp. nov., 309 et seq., 567 et seq.

vermiculata L., 305 et seq.

Rhododendron

afghanicum Aitch. & Hemsl. 405, 416

collettianum Aitch. & Hemsl., 406, 416

Rhoicospheia curvata (Kutz.) Grun, 4

Robinia pseudoacacia, 345

Romulea Maratti, 77 et seq.

longituba, 82, 85, 88

multifida, 85

thodei, 85

Rosa sicula, 371, 372

Rosaceae, 61 et seq.

Restio, 68

Restionaceae, 68

Rubiaceae, 64

endemism in Afghanistan, 403

S

Sagina

apetala, 389

saginoides, 388, 394

Salsola

inermis Forssk., 567 et seq.

schweinfurthii Solms-Laub., 567

Salvia, 407

aristata Benth., 408

lanigera Poir., 567, 577

pterocalyx Hedge, 408, 416

rhytidea Benth., 402, 408

tetradonta Hedge, 408, 416

- Saxifraga*
adscendens, 353, 356
afghanica Aitch. & Hemsl., 416
exarata, 353, 355
geoides, 353
porophylla ssp. *sibthorpiana*, 353, 355
sancta, 357
Scabiosa webbiana, 371
Scenedesmus quadricauda (Turp.) Breb., 4
Scleranthopsis Rech. f., 403
Scleranthus perennis, 366, 374
Sclerorachis (Rech. f.) Rech. f., 403
Scorzonera pygmaea, 358, 359, 360
Scrophularia
depauperata, 352, 381
elegantissima Rech. f. & Wendelbo, 416
horizontalis Rech. f., 416
olympica, 353, 354
Scutellaria, 407
leptosiphon Nevski, 408, 414, 415
orientalis, 365, 367
 var. *alpina*, 381, 384
stocksii Boiss., 408, 414, 415
Sedum
glaucum, 376, 379
 var. *eriocarpum*, 367, 371, 381
majellense, 353, 355
sempervivum, 352, 380, 383
Sehima, 631
Selaginella denticulata (L.) Link., 236
Senecio hypochioneus, 353, 354, 356, 357
Seseli caespitosum, 354, 367
Sesleria argentea, 358, 371, 374, 381
Sideritis, 362
 taurica, 380, 382, 384, 386
 trojana, 370, 372, 373, 378, 379
Sieglingia decumbens, 388, 391
Silene, 379
 bolanthoides, 379
 falcata, 354, 358, 359, 360, 361, 362, 367
 olympica, 367, 369
Solanum lycopersicum L., 609 et seq.
Solidago virga-aurea, 381
Spergularia, 380, 387
Sphagnum, 397, 398
Spiraea, 66
Spongiosyndesmus Gilli, 403
Spryginia winkleri (Rgl.) Pop., 414
Stachyopsis, 408
Stachys, 362
 germanica var. *bithynica*, 366
 tmolea, 380, 382
Stauroneis anceps Ehr., 4, 9, 12
Stenomesson, 88
 acaule, 88
Sterculiaceae, 64
Sternbergia Waldst. & Kit., 77 et seq.
 breviflorus, 86
 clusiana, 86
 colchiciflora, 86
 lutea, 86
Stipa, 631
 capensis Thumb., 567 et seq.
 parviflora, 568
 pennata, 365, 381, 384
 szowitziana, 568
Stipeae, 62
Stroganowia, 405
Synedra
 acus Kutz., 4
 affinis Kutz., 4, 12
 radians Kutz., 4, 9, 12
 ulna Ehr., 4, 12
Syringodea Hook., 77 et seq.
 longituba, 85
- T
- Tamarix* spp., 340
Taraxacum, 389
Tetracme, 405
Tetraedron trigonum Reinsh., 4
Teucrium
 montanum, 367, 371
 polium L., 381, 567 et seq.
Themada, 631, 632
Thlaspi, 405
Thuja
 occidentalis L. var. *Mastersii* Rehd., drought
 resistance, 427
 orientalis L., drought resistance, 418 et seq.
Thymus, 362, 381
 hirsutus, 365, 367
 imbricatus, 365
 pulvinatus, 370, 378
 sypileus, 358, 373
 var. *imbricatus*, 370, 372
 tosevii, 366, 375, 376
Torilis arvensis (Huds.) Link ssp. *heterophylla*
 (Guss.) Thell., 301-302

Tortula cabulica Froehlich, see *Trichostomopsis aaronis*

Trattorispora institutionalis Ord., hypothetical blight, 634

Tribulus longipetalus Viv., 298

Trichochiton inconspicuus Komar, 413

Tricholaser Gilli, 403

Trichostomopsis Card., moss genus new to Asia, 254 et seq.

aaronis (Lor.) Agnew & Townsend, comb. nov., 245 et seq.

brevifolia Bart., 245 et seq.

haussknechtii (Jur. & Milde) Agnew & Townsend, comb. nov., 245 et seq.

Trichostomum aaronis, see *Trichostomopsis aaronis*

Trifolium, 61, 62

orphanideum, 389, 390

philstaeum Zoh., nom. nov., 296

Sect. *Calycomorphum* (Presl) Griseb., seed dispersal, 114 et seq.

batmanicum Katzn., 115 et seq.

chlorotrichum Bal. et Boiss., 115 et seq.

eriosphaerum Boiss., 120 et seq.

globosum L., 119 et seq.

israeliticum D. Zoh. & Katzn., 115 et seq.

meduseum Bl., 120 et seq.

pauciflorum d'Urv., 120 et seq.

pilulare Boiss., 119 et seq.

subterraneum L., 115 et seq.

 ssp. *brachycalycinum* Katzn. et Morley, 115 et seq.

 ssp. *subterraneum* Katzn. et Morley, 115 et seq.

 ssp. *yanninicum* Katzn. et Morley, 115 et seq.

Sect. *Vesicaria* Crantz, taxonomic and nomenclatural revision, 314 et seq.

bullatum Boiss. et Hausskn., 314 et seq.

 var. *bullatum*, 314 et seq.

 var. *macrosphaerum* Zoh. var. nov., 314 et seq.

clusii Godr. et Gren., 314 et seq.

 var. *clusii*, 314 et seq.

 var. *gossypinum* Zoh. var. nov., 314 et seq.

 var. *kahiricum* Zoh. var. nov., 314 et seq.

fragiferum L., 314 et seq.

 var. *fragiferum*, 314 et seq.

 var. *majus* Rouy, 314 et seq.

 var. *modestum* (Boiss.) Gib. et Belli, 314 et seq.

 var. *orthodon* Zoh., var. nov., 314 et seq.

 var. *pulchellum* Lange, 314 et seq.

hybridum, 333

 var. *hybridum*, 388, 390, 395, 396

physodes Stev. ex M.B., 314 et seq.

 var. *physodes*, 314 et seq.

 var. *psilocalyx* Boiss., 314 et seq.

resupinatum L., 314 et seq.

 var. *microcephalum* Zoh., var. nov., 314 et seq.

 var. *majus* Boiss., 314 et seq.

 var. *resupinatum*, 314 et seq.

tomentosum L., 314 et seq.

 var. *chthonocephalum* Bornm., 314 et seq.

 var. *curvisepalum* (Täckh.) Thiéb., 314 et seq.

 var. *lanatum* Zoh., var. nov., 314 et seq.

 var. *orientale* Bornm., 314 et seq.

 var. *philstaeum* Zoh., var. nov., 314 et seq.

 var. *tomentosum*, 314 et seq.

tumens Stev. ex M. B., 314 et seq.

 var. *rechingeri* Zoh., var. nov., 314 et seq.

 var. *tumens*, 314 et seq.

 var. *talyschense* (Chalilov) Zoh., stat. nov., 314 et seq.

Trollius, 66

U

Umbelliferae, 64

 endemism in Afghanistan, 403

 nomenclatural remarks, 301 et seq.

Umbilicus horizontalis, 352

Uncinia, 68

V

Vaccinium

myrtilus, 363, 366, 374, 375, 376, 389

uliginosum, 388, 391

Valerianaceae, 61

Verbascum, 371

splendidum, 381

Verbenaceae, 64

Veronica

caespitosa, 358, 359

gentianoides, 353, 354, 356, 357, 389, 394

serpyllifolia, 388, 391

Verticilloporella (Dasycladaceae), new Mesozoic genus, 225, et seq.

dalmatica, 225 et seq.

Vicia faba, bud growth control, 484 et seq.

Vincetoxicum tmoicum, 380, 383

Viola

altaica ssp. *oreades*, 359, 361

gracilis, 365, 367, 368, 371, 374

lutea Huds., 71

Vitex agnus-castus, 340

W

Wendelboea van Soest, 403

Wurmbaeoideae, 83

X

Xanthium, 62

Z

Zataria, 408

Zea mays, 42 et seq., 451 et seq., 533 et seq.

Zizyphus spina-Christi (L.) Willd.,

wood production and cambial activity, 592 et seq.

Zygophyllaceae, nomenclatural remarks, 298

Zygophyllum dumosum Boiss., 567 et seq.

SUBJECT INDEX

A

Absisic acid, resin duct formation, 429 et seq.

Acids, organic, synthetic, sodium fluoride effects, 609 et seq.

Adaptation

climatic

Geranium Sect. *Tuberosa*, 91 et seq.

subterranean ovary, monocots, 78 et seq.

dispersal units, 59 et seq.

Afghanistan

Bellevia sp. from, 220 et seq.

endemism, 401 et seq.

Agriculture, saline irrigation, book review, 628 et seq.

Algae

man and environment, book review, 55 et seq.

production rate in Lake Tiberias, 1 et seq.

Verticilloporella, new Mesozoic genus, 225 et seq.

ALLIETUM CHAMAEMOLY, 340 et seq.

ALOPECURETALIA LANATAE, 358, 399

ALOPECURION LANATAE, 399

Amino acids, incorporation, water stress, 451 et seq.

Amitrole, flower induction and vegetative development, 558 et seq.

Anatolia, vegetation, high mountains, 348 et seq.

Anatolie occidentale, (Western Anatolia), 379

Anatomy

developmental, book review, 633 et seq.

laticifers, 542 et seq.

leaves, 419 et seq.

resin ducts, 429 et seq.

vascular tissue differentiation, 484 et seq.

Anemochory

Trifolium Sect. *Calycomorphum*, 114 et seq.

Angiosperms, evolution of dispersal units, 59 et seq.

Annuals, competition with *Oryzopsis holciformis*, 517 et seq.

Apical dominance

amitrole effects, 558 et seq.

control by vascular tissue differentiation, 484 et seq.

Aridity, flowering, *Geranium* Sect. *Tuberosa*, 98

ARISTIDA — PANICUM TURGIDUM association, 631

ARTEMISIETUM HERBAE-ALBAE, 313, 566 et seq.

ASPLENIO — CAMPANULETUM MACRORRHIZAE, 341 et seq.

ASPLENIETEA RUPESTRIA, 354

Association analysis, desert vegetation, 561 et seq.

ASTRAGALION PTILODES, 365, 369, 372, 382
 AUBRIETION OLYMPICAE, 354, 399
 Auxin
 bud growth control, 484 et seq.
 resin duct formation, 429 et seq.
 'Avedat, vegetation, association analysis, 561 et seq.
 Avocado, fruit, *Diplodia* mycelium growth, 624 et seq.

B

Balkans, vegetation, 348 et seq.
 Biomass, algae, Lake Tiberias, 1 et seq.
 Biosystematics, *Anthemis* Sect. *Maruta*, 137 et seq.
 Bracts, evolution of function, 59 et seq.
 Branching, control by vascular tissue differentiation, 484 et seq.
 BRUCKENTHALION, 363, 374, 376, 379, 383, 391, 399
 Bud growth, control, 484 et seq.
 Bulbs, evolution in monocots, 78 et seq.

C

Calcareous rocks, Anatolia, vegetation, 384 et seq.
 CALICOTOMO — MYRTETUM, 340 et seq.
 Calyx, evolution of function, 59 et seq.
 Cambium activity, 429 et seq., 592 et seq.
 CARICETEA CURVULAE, 387, 392, 394, 399
 CARICETALIA DAVALLIANAE, 398
 Carpel, see ovary wall
 Cell
 number and dimensions, leaves, temperature and position effects, 42 et seq.
 secretory, 542 et seq.
 Chlorophyll content, amitrole effects, 558 et seq.
 Chlorosis, amitrole effects, 558 et seq.
 Chromosome number
 Allium sp., Palestine, 245 et seq.
 Anthemis Sect. *Maruta*, 138
 Lotus angustissimus group, 271 et seq.
 Trifolium Sect. *Vesicaria* sp., 334
 CICHORIO — SPOROBOLETUM, 343 et seq.
 Classification, numerical, desert vegetation, 561 et seq.
 Climate, phytogeography, Liguria, 343 et seq.

CO₂ compensation point, leaf water potential, 533 et seq.
 Compatibility, *Papaver* sp., 127 et seq.
 Competition
 Oryzopsis holciformis and annuals, 517 et seq.
 water, utilization efficiency, 50 et seq.
 Corms, evolution in monocots, 78 et seq.
 Cotyledons
 secretory cells, 542 et seq.
 size, amitrole effects, 558 et seq.
 Crete
 Cuscuta atrans Feinbrun, sp. nov., from, 16 et seq.
 pteridophytes from, 236 et seq.
 Cytotaxonomy
 Allium sp., 245 et seq.
 Anthemis Sect. *Maruta*, 137 et seq.

D

DAPHNEETO — FESTUCETALIA, 374, 376, 379, 382, 384, 387, 399
 DAPHNEETO — FESTUCETEA, 356, 363, 365, 374, 399
 Desert vegetation, association analysis, 561 et seq.
 Development, vegetative, amitrole effects, 558 et seq.
 Differentiation, vascular tissue, 484 et seq.
 Dimorphism, floral, *Achusa hybrida* Ten., 37 et seq.
 Dispersal units
 Aegilops ovata L., germination, 463 et seq.
 Anthemis sect. *Maruta*, 150 et seq.
 evolution, 59 et seq., 114 et seq., 150 et seq., 314 et seq.
 polymorphism, germination, 499 et seq.
 seeds, *Trifolium* Sect. *Calycomorphum*, 114 et seq.
 Distribution, see Phytogeography
 Diversification center, *Geranium* Sect. *Tuberosa*, 99 et seq.
 Dormancy, seeds, book review, 55
 Drought resistance, 418 et seq.

E

Ecology
 Aegilops ovata L., germination, 482
 Geranium Sect. *Tuberosa*, 91 et seq.

- high mountain vegetation, Anatolia, 348 et seq.
Reaumuria sp., 305 et seq.
Ziziphus spina-Christi, 592 et seq.
- Edaphic factors
 association analysis, 561 et seq.
 high mountain vegetation, Anatolia, 348 et seq.
 isolation, *Papaver* sp., 134 et seq.
- Electron microscope, ribosomes, root tip, 451 et seq.
- Embryo
 axis, reducing sugar level in cotyledons, 447 et seq.
 secretory cells, 542 et seq.
- Endemism
 Afghanistan, 401 et seq.
 Anatolia
 high mountains, 355 et seq.
 Lotus macrotrichus, Boiss., 277
 Asia, S. W., *Trifolium* Sect. *Vesicaria*, 334
 Crete, *Cuscuta atrans* Feinbrun, 16 et seq.
 Hawaii, *Canavalia* sp., 161 et seq.
 Iberian Peninsula, *Lotus subbiflorus* Lag., 277
- Environment, algae and man, book review, 55 et seq.
- Environmental effects, cambial activity, 592 et seq.
- Enzymes, exopolysaccharuronase, properties, 599 et seq.
- Europe
 Cuscuta from, taxonomic review, 16 et seq.
 flowers from, book review, 56-57
- Euro-Siberian region
 Trifolium Sect. *Vesicaria* Crantz from, 314 et seq.
- Evolution
 Geranium Sect. *Tuberosa*, 91 et seq.
 population biology, book review, 57
 seeds, transference of function, 59 et seq.
 subterranean ovary, monocots, 77 et seq.
 Trifolium Sect. *Vesicaria* Crantz, 314 et seq.
- F
- Fertilizers, competition, 517 et seq.
- Flora
 Afghanistan
 endemism, 401 et seq.
- G
- Bellevia* sp., 220 et seq.
 Crete, pteridophytes, 236 et seq.
 Hawaii, *Canavalia* sp., 155 et seq.
 Palestine, nomenclatural notes, 239 et seq.
 Flower induction, amitrole effects, 558 et seq.
- Flowering
 Papaver sp., 124 et seq.
 subterranean, climatic adaptation, 79 et seq.
 water utilization efficiency, 52
 Ziziphus spina-Christi, environmental effects, 592 et seq.
- Flowers
 colour, genetics, 71 et seq.
 evolution of function, 59 et seq.
 European, book review, 56-57
- Fluoroacetic acid, biosynthesis, tissue culture, 609 et seq.
- Forestry, saline irrigation, book review, 628 et seq.
- Fossil, algae, *Verticilloporella*, new Mesozoic genus, 225 et seq.
- Fruits
 dispersal units, evolution, 59 et seq.
 lemon, infection, 599 et seq.
 pedicel, mycelial growth in, 624 et seq.
- Fruiting, subterranean, climatic adaptation, 81 et seq.
- Fungi
 lemon fruits, 599 et seq.
 groundnut kernels, 620 et seq.
- G
- Galacturonase, produced by *Penicillium digitatum*, 599 et seq.
- Gênes (Genoa), phytogeography and phytotopography, 336 et seq.
- Genetics, flower color, *Primula* sp., 71 et seq.
- GENISTO — ROSMARINETUM, 342 et seq.
- Geocarpy, *Trifolium* Sect. *Calycomorphum*, 114 et seq.
- Geophytes
 Geranium Sect. *Tuberosa*, 92 et seq.
 Monocots, 78 et seq.
- Germination
 Aegilops ovata L., 463
 Atriplex dimorphostegia Kar. et Kir., effects of light, temperature, water stress, 499 et seq.
 seed dormancy, book review, 55

Gibberellic acid

- nitrate reductase activity, 30 et seq.
- resin duct formation, 429 et seq.

Grasslands

- competition, 517 et seq.
- tropics, book review, 631 et seq.

Grazing, subterranean flowering, 82

Groundnut kernels, mycoflora, 620 et seq.

Growth

- control in buds, 484 et seq.
 - cotyledons, kinetin, 447 et seq.
 - leaves, temperature and position effects, 47 et seq.
 - mycelium, avocado pedicel, 624 et seq.
 - radial, *Pinus* wood, 429 et seq.
 - rate, efficiency of water utilization, 50 et seq.
 - substances
 - apical dominance, 484 et seq.
 - nitrate reductase activity, 30 et seq.
 - resin duct formation, 429 et seq.
 - tissue culture, sodium fluoride effects, 609 et seq.
 - water utilization, 50 et seq.
- Gynodioecism, *Geranium* Sect. *Tuberosa*, 98 et seq.

H

HAMMADETUM, 579 et seq.

Hawaii, *Canavalia* sp. from, 161 et seq.

HELIANTHEMO — ERICETUM MULTIFLORAE, 340 et seq.

Hermon, Mt., *Allium* sp. from, 245 et seq.Heteroblasty, seeds, *Aegilops ovata* L., 463 et seq.Heterostyly, *Anchusa hybrida*, Ten., 37 et seq.

Histology

- cambial activity, 592 et seq.
- secretory cells, 542 et seq.

Humidity, nitrate reductase activity, 34 et seq.

HYPARRHENIETUM HIRTO-PUBESCENTIS, 341 et seq.

I

Incompatibility system, *Anchusa hybrida*, Ten., 37 et seq.

Infection

- avocado fruit, *Diplodia natalensis*, 624 et seq.
- lemon fruit, *Penicillium digitatum*, 599 et seq.

Inflorescence, evolution, *Geranium* Sect. *Tuberosa*, 96 et seq.

Inhibitors, germination, 476 et seq.

Integuments, ovular, evolution of function, 59 et seq.

INULO — ORYZOPISETUM MILIACEAE, 341 et seq.

Iran, endemism, 405

Irano-Turanian territory

- Afghanistan, endemism, 414 et seq.
 - Anthemis* sp. from, 138 et seq.
 - Filago* sp. from, 260 et seq.
 - Geranium* Sect. *Tuberosa* from, 99 et seq.
 - Reaumuria* sp. from, 305 et seq.
 - Trifolium* Sect. *Vesicaria* from, 314 et seq.
- Irrigation, saline, book review, 628 et seq.
- Isolation barriers, *Papaver* sp. in Israel, 121 et seq.
- Israel
- Allium* sp., chromosome counts, 245 et seq.
 - Anchusa hybrida* Ten., floral dimorphism, 37 et seq.
 - Anthemis* Sect. *Maruta* in, 137 et seq.
 - Lotus angustissimus* group in, 271 et seq.
 - Papaver* sp., isolation barriers, 121 et seq.

J

Judean desert, *Reaumuria hirtella* Jaub. et Spach var *palaestina* (Boiss.) Zoh. et Danin, stat. nov., 309

K

Keys to species

- Anthemis* Sect. *Maruta*, 138 et seq.
- Bellevia* sp. from Afghanistan, 220
- Canavalia* sp. from Hawaii, 164 et seq.
- Cuscuta* sp. from Europe, 17 et seq.
- Filago* sp. from Palestine, 260 et seq.
- Geranium* Sect. *Tuberosa*, 103
- Lotus angustissimus* group, 277 et seq.
- Reaumuria* sp. from Near East, 305 et seq.
- Trifolium* Sect. *Vesicaria*, 316 et seq.

Kinetin

- nitrate reductase activity, 30 et seq.
- reducing sugar level in cotyledons, 447 et seq.
- resin duct formation, 429 et seq.

L

Latex, color, *Papaver* sp., 129 et seq.Laticifers, *Pinus halepensis*, 542 et seq.

Leaf

- anatomy, cypress and thuya, 419 et seq.
- arrangement, evolution, *Geranium* Sect. *Tuberosa*, 96 et seq.
- bud growth control, 484 et seq.
- CO₂ compensation point, water potential, 533 et seq.
- growth, maize, morphological aspects, 42 et seq.
- nitrate reductase activity, 30 et seq.
- shape, evolution, *Geranium* Sect. *Tuberosa*, 95 et seq.

Lemon fruits, infection by *Penicillium digitatum*, 599 et seq.

Lettuce seeds, germination, inhibitors from *Aegilops ovata* L. hulls, 477 et seq.

Leucoanthocyanins, secretory cells, 542 et seq.

Light, germination, 468 et seq., 499 et seq.

Liguria, Mediterranean vegetation, 336 et seq.

M

Maize

- CO₂ compensation point in leaves, water potential, 533 et seq.
- leaf growth, 42 et seq.
- roots, polysome population and protein synthesis, water stress effects, 451 et seq.

Mediterranean territory

- Anthemis* sp. from, 138 et seq.
- Filago* sp. from, 260 et seq.
- Geranium* Sect. *Tuberosa* in, 99 et seq.
- Lotus angustissimus* group in, 271 et seq.
- Trifolium* Sect. *Vesicaria* from, 314 et seq.
- Vegetation, Liguria, 336 et seq.

Metabolism, tissue culture, sodium fluoride effects, 609 et seq.

Methods, glass-slide, for periphyton production rate determination, 1 et seq.

Minerals, uptake in competition, 517 et seq.

MISCANTHUS — INDOCALAMUS, 631

Mobilization in cotyledons, food reserves, 447 et seq.

Monaco, phytogeography and phytotopography, 336 et seq.

Monographic study, *Canavalia* from Hawaii, 161 et seq.

Morphogenesis, vascular tissue differentiation, 484 et seq.

Monsoon, grasslands, book review, 631 et seq.

Mycelium, growth in avocado pedicel, 624 et seq.

Mycoflora, groundnut kernels, storage effects, 620 et seq.

N

Near East, *Reaumuria* sp. from, 305 et seq.

Nectar, subterranean flowers, 79 et seq.

Negev

Reaumuria

hirtella Jaub. et Spach var. *brachylepis* Zoh. et Danin, var. nov. 309

negevensis Zoh. et Danin, sp. nov., 309 et seq.

vegetation association analysis, 561 et seq.

NERION OLEANDRI, 340 et seq.

Nightshades, book review, 633 et seq.

Nitrate reductase activity, leaves, 30 et seq.

Nomenclature

Cyclamen indicum L., 266, et seq.

Helianthemum lavandulifolium Auct., 249 et seq.

Lloydia graeca (L.) Kunth and related species, 155 et seq.

Lotus angustissimus group, 271 et seq.

plants from Palestine, 293 et seq.

Reaumuria sp., Near East, 305 et seq.

Trifolium sect. *Vesicaria* Crantz, 314 et seq.

Nutrients and competition, 517 et seq.

OLEO-CERATONION, 346 et seq.

OLEO-LENTISCETUM, 336 et seq.

ORNO-OSTRYETUM, 342 et seq.

Osmotic potential, germination, 475 et seq.

Ovary

subterranean, monocots, evolution and taxonomic significance, 77 et seq.

wall, evolution of function, 59 et seq.

P

Paleobotany, *Verticilloporella*, new Mesozoic genus of Dasycladaceae, 225 et seq.

Palestine, nomenclatural remarks on some plants from, 293 et seq.

Palynology, book review, 629 et seq.

Perigynium, 62

Periodism, cambial activity, 592 et seq.

Periphyton, production rate in Lake Tiberias, 1 et seq.

- Phenology, *Ziziphus spina-Christi*, 592 et seq.
 Phenols, secretory cell content, 542 et seq.
 Photoperiodism
 flower induction, amitrole effects, 558 et seq.
 germination, 498 et seq.
 Photosynthesis
 book review, 627 et seq.
 efficiency of water utilization, 50 et seq.
 leaf water potential, 533 et seq.
 Phyllaries, evolution of function, 59 et seq.
 Physiology, plant, book review, 630 et seq.
 Phytochrome, germination, 499 et seq.
 Phytogeography
 Anatolia, high mountains, 348 et seq.
 Anthemis Sect. *Maruta*, 137 et seq.
 Bellevalia sp. from Afghanistan, 220 et seq.
 Canavalia sp. from Hawaii, 155 et seq.
 endemism, Afghanistan, 401 et seq.
 Filago sp. from Israel, 260 et seq.
 Geranium Sect. *Tuberosa*, 91 et seq.
 Helianthemum syriacum (Jacq.) Dum.-Cours., 249 et seq.
 Lotus angustissimus group, 271 et seq.
 Mediterranean vegetation, Liguria, 336 et seq.
 Pteridophytes from Crete, 236 et seq.
 Reaumuria sp. from Near East, 305 et seq.
 Trifolium Sect. *Vesicaria* Crantz, 314 et seq.
 Phytopathology
 book review, 634 et seq.
 fruit infection, 599 et seq., 624 et seq.
 mycoflora in groundnut kernels, 620 et seq.
 Phytosociology
 association analysis, 561 et seq.
 high mountains, Anatolia, 348 et seq.
 Mediterranean vegetation, Liguria, 336 et seq.
 Phytotopography
 Mediterranean vegetation, Liguria, 336 et seq.
 PISTACIO - RHAMNETUM ALATERNI, 342 et seq.
 PLANTAGINION THALACKERI, 387
 Pollen fertility, *Papaver* sp., 129 et seq.
 Pollination
 Anchusa hybrida Ten., 37 et seq.
 Papaver sp., 125 et seq.
 Primula sp., flower color, 71 et seq.
 subterranean flowers, 79 et seq.
 Polymorphism
 cryptic, *Primula elatior* Schreb., 71 et seq.
 dispersal units, 499 et seq.
 seasonal
 Lotus angustissimus group, 272 et seq.
 Reaumuria alternifolia (Gabill.) Britten, 306
 Population biology and evolution, book review, 57 et seq.
 POPULION ALBAE, 342 et seq.
 POTENTILLETALIA SPECIOSAE, 354
 Pressure, resin duct formation, 429 et seq.
 Production, periphyton, Lake Tiberias, 1 et seq.
 Protein synthesis, water stress, 451 et seq.
 PSORALEO - BRACHYPODIETUM PINNATI, 342 et seq.

 Q
 QUERCETALIA PUBESCENTIS, 346 et seq.
 QUERCETUM ILICIS, 336 et seq.
 QUERCETUM MEDITERRANEO-MONTANUM, 346 et seq.

 R
 REAUMURIETUM NEGEVENSIS, 579 et seq.
 Resin duct formation, 429 et seq.
 Rhizome evolution
 monocots, 78 et seq.
 Geranium Sect. *Tuberosa*, 91 et seq.
 Ribosomes, water stress, 451 et seq.
 RNA synthesis
 tissue culture, 529 et seq.
 water stress, 461
 Root
 polysome population, protein synthesis, water stress, 451 et seq.
 secretory cells, 542 et seq.
 water utilization efficiency in overlapping systems, 50 et seq.
 RUBO-CORIARIETUM, 342 et seq.

 S
 Saharo-Sindian territory
 Afghanistan, endemism, 415
 Filago sp., 260 et seq.
 Salinity, irrigation, book review, 628 et seq.
 Salt-stress, nitrate reductase activity, 33 et seq.
 Secretory cells, *Pinus halepensis*, 542 et seq.
 Seedling establishment, subterranean ovary, 77 et seq.
 Seed
 dispersal, 59 et seq., 114 et seq.

- subterranean flowering, 81
- dormancy, book review, 55
- size, *Trifolium*, 115 et seq.
- Selection
 - pressures, evolution of dispersal units, 59 et seq.
 - water, utilization efficiency, 50 et seq.
- Sinai
 - Reaumuria*
 - hirtella* Jaub. et Spach, 308
 - var. *hirtella*, 308 et seq.
 - negevensis*, Zoh. et Danin, sp. nov., 309 et seq.
- Sodium fluoride, tissue cultures, growth and metabolism, 609 et seq.
- Soil
 - association analysis, 561 et seq.
 - competition, 517 et seq.
- Species nova
 - Anthemis pungens* Yavin, Turkey, 137 et seq.
 - Asplenium creticum* Zaffran, 242
 - Bellevalia feinbrunae* Freitag & Wendelbo, 220 et seq.
 - Canavalia* spp., Hawaii, 155 et seq.
 - Cuscuta atrans*, Feinbrun, 16 et seq.
 - Filago inexpectata* Wagenitz, 260 et seq.
 - Reaumuria negevensis* Zoh. et Danin, 309 et seq.
- SPHAGNETEA, 398
- Stomata
 - aperture, water potential, CO₂ compensation point, 533 et seq.
 - leaves, cypress and thuya, 421 et seq.
- Storage, effects on mycoflora of groundnuts kernels, 620 et seq.
- Stress
 - water, CO₂ compensation point, 533 et seq.
 - salt, nitrate reductase activity, 33 et seq.
- STIPION CAPENSIS, 346 et seq.
- Succession, Mediterranean region, Liguria, 336 et seq.
- Sudanian territory, *Anthemis fungosa* from, 153
- Sugars, reducing, kinetin and embryo axis effects, cotyledons, 447 et seq.
- Sunflower
 - bud growth control, 484 et seq.
 - CO₂ compensation point, water potential, 533 et seq.
 - reducing sugars in cotyledons, kinetin and embryo axis effects, 447 et seq.

T

Taxonomy

- Anthemis* Sect. *Maruta*, 137 et seq.
- Bellevalia*, from Afghanistan, 220 et seq.
- Canavalia* from Hawaii, review, 161 et seq.
- Cuscuta* from Europe, review, 16 et seq.
- Helianthemum lavandulifolium* Auct., nomenclature, 249 et seq.
- Lloydia graeca* and related species, nomenclature, 155 et seq.
- Lotus angustissimus* group, 271 et seq.
- Monocots, subterranean ovary, 77 et seq.
- Reaumuria*, from Near East, 305 et seq.
- Trifolium* Sect. *Vesicaria* Crantz, review, 314 et seq.
- Temperature
 - germination, 468 et seq., 499 et seq.
 - leaf growth and dimensions, 44 et seq.
- TEREBINTHO — ORNETOSUM, 342 et seq.
- Tiberias Lake, periphyton production rate, 1 et seq.
- Tissue culture
 - growth and metabolism, sodium fluoride effects, 609 et seq.
 - RNA synthesis, 529 et seq.
- Tobacco
 - nitrate reductase activity, 30 et seq.
 - tissue culture, RNA synthesis, 529 et seq.
- Tomato
 - tissue culture, sodium fluoride effects, 609 et seq.
- Transpiration
 - cuticular, 418 et seq.
 - efficiency of water utilization, 50 et seq.
 - leaves, water content, 418 et seq.
- TRIFOLIETALIA PARNASSI, 390, 399
- TRIFOLION HUMILIS, 387
- TRIFOLION PARNASSI, 390, 399
- Tropics, grasslands, book review, 631 et seq.
- Turkey
 - Anthemis pungens* Yavin sp. nov., 137 et seq.
 - endemism, 405

V

- VACCINIO — PICEETALIA, 363, 374, 376
- vascular tissue, differentiation, 484 et seq.
- Vegetation
 - Anatolia, high mountains, 348 et seq.
 - desert, association analysis, 561 et seq.

- Viability
 resin duct cells, 434 et seq.
 water loss, 424 et seq.
- Virology, plant, book review, 635 et seq.
- W
- Water
 availability, cambial activity, 592 et seq.
 content, kernel mycoflora, 620 et seq.
 loss, polysome population and protein synthesis, 451 et seq.
 potential leaf, CO₂ compensation point, 533 et seq.
 stress
 germination, 499 et seq.
 tolerance, 418 et seq.
- utilization efficiency, 50 et seq.
- Wind, resin duct formation, 429 et seq.
- Wood
 compression, auxins, 429 et seq.
 production, environmental effects, 592 et seq.
 resin duct formation, 429 et seq.
- Wounding, resin duct formation, 429 et seq.
- X
- Xerophytes, high mountains, 362 et seq.
- Z
- ZYGOPHYLLETUM DUMOSI, 313, 566 et seq.

ERRATA

1) In "The influence of pressure, wind, wounding and growth substances on the rate of resin duct formation in *Pinus halepensis* wood" by A. Fahn and E. Zamski, the following acknowledgement was omitted:

This investigation has been supported in part by Grant No. FG-15209 by the United States Department of Agriculture under P.L. 480.

2) In the article "Environmental effects on wood production and cambial activity in *Zizyphus spina-Christi* (L.) Willd. by N. Lipschitz and Y. Waizel, p. 592 et seq. the name *Zizyphus spina-Christi* was misspelled.

